


# USS LOS ANGELES SSN 688 (Early type)

6SSN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.									
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8	9	10
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6				
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6				
4 HARPOON	20	60	-3	8	-	1	2	3	4	5	6				
5 TOMAHAWK	35	250	-2	7	-	1	2	3	4						
6 SONAR	+3 towed			+2 if not using towed SONAR.											

SHOW CURRENT DEPTH

SURFACE

SHALLOW

MEDIUM

THERMOCLINE


DEEP

EXTREME

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +4 TO NOISE
			PERISCOPE 2	

Mk 48 torpedo can be used for anti shipping or anti submarine


NOISE = -3



SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	32	25	15	10	5	

# USS SALT LAKE CITY SSN 716 (Early type)

6SSN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.									
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6				
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6				
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6				
4 HARPOON	20	60	-3	8	-	1	2	3	4	5	6				
5 TOMAHAWK	35	250	-2	7	-	1	2	3	4						
6 SONAR	+3 towed			+2 if not using towed SONAR.											

SHOW CURRENT DEPTH

SURFACE

SHALLOW

MEDIUM


THERMOCLINE

DEEP

EXTREME

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +4 TO NOISE
			PERISCOPE 2	


Mk 48 torpedo can be used for anti shipping or anti submarine



SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	32	25	15	10	5	

# USS BUFFALO SSN 715 (Early type)

6SSN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.									
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8	9	10
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6				
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6				
4 HARPOON	20	60	-3	8	-	1	2	3	4	5	6				
5 TOMAHAWK	35	250	-2	7	-	1	2	3	4						
6 SONAR	+3 towed			+2 if not using towed SONAR.											

SHOW CURRENT DEPTH

SURFACE

SHALLOW

MEDIUM

THERMOCLINE


DEEP

EXTREME

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +4 TO NOISE
			PERISCOPE 2	

Mk 48 torpedo can be used for anti shipping or anti submarine


NOISE = -3



SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	32	25	15	10	5	

# USS FLASHER SSN 613 (Permit type)

4SSN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.									
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8		
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6	7	8	9	10
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6	7	8	9	10
4 HARPOON	20	60	-3	8	-	1	2	3	4						
5															
6 SONAR	+3 towed			+2 if not using towed SONAR.											

SHOW CURRENT DEPTH

SURFACE

SHALLOW


MEDIUM

THERMOCLINE

DEEP


DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +4 TO NOISE
			PERISCOPE 2	

Mk 48 torpedo can be used for anti shipping or anti submarine



SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	30	25	15	10	5	

# USS TUNNY SSN682 4SSN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.									
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8		
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6	7	8	9	10
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6	7	8	9	10
4 HARPOON	20	60	-3	8	-	1	2	3	4						
5 SONAR (towed)	+3 towed														
6 SONAR (HULL)	+2														

SHOW CURRENT DEPTH

SURFACE

SHALLOW

MEDIUM

THERMOCLINE

DEEP

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +2 TO NOISE
			PERISCOPE 2	


Mk 48 torpedo can be used for anti shipping or anti submarine

NOISE = -1



SURFACE	20	15	10	5	STOPPED	SUNK
SUBMERGED	25	20	15	10	5	

# USS POGY SSN 647 (Sturgeon type) 4SSN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.									
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8		
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6	7	8	9	10
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6	7	8	9	10
4 HARPOON	20	60	-3	8	-	1	2	3	4						
5 SONAR (towed)	+3 towed														
6 SONAR (HULL)	+2														

SHOW CURRENT DEPTH

SURFACE

SHALLOW

MEDIUM

THERMOCLINE

DEEP

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +2 TO NOISE
			PERISCOPE 2	


NOISE = -1

Mk 48 torpedo can be used for anti shipping or anti submarine



SURFACE	20	15	10	5	STOPPED	SUNK
SUBMERGED	25	20	15	10	5	

**USS HELENA SSN 725 LATER LOS ANGELES TYPE 6SSN**



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.									
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8	9	10
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6				
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6				
4 HARPOON	20	60	-3	8	-	1	2	3	4	5	6				
5 TOMAHAWK	35	250	-2	7	-	1	2	3	4						
6 SONAR	+3 towed			+2 if not using towed SONAR.											

**SHOW CURRENT DEPTH**

SURFACE

SHALLOW

MEDIUM

**THERMOCLINE**


DEEP

EXTREME

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +4 TO NOISE
			PERISCOPE 2	


Mk 48 torpedo can be used for anti shipping or anti submarine

NOISE = -3



SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	32	25	15	10	5	

**USS MIAMI SSN 755 LATER LOS ANGELES TYPE 6SSN**



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.											
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8	9	10		
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6	7	8				
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6	7	8				
4 HARPOON	20	60	-3	8	-	1	2	3	4	5	6						
5 TOMAHAWK	35	250	-2	7	-	1	2	3	4	5	6	7	8	9	10	11	12
6 SONAR	+3 towed			+2 if not using towed SONAR.													

**SHOW CURRENT DEPTH**

SURFACE

SHALLOW

MEDIUM


**THERMOCLINE**

DEEP

EXTREME

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +4 TO NOISE
			PERISCOPE 2	

Mk 48 torpedo can be used for anti shipping or anti submarine



SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	32	25	15	10	5	

# USS ALABAMA SSBN 731

14SSBN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.													
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8	9	10				
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6								
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6								
4 TRIDENT ICBM						1	2	3	4	5	6	7	8	9	10	11	12		
5 TRIDENT ICBM						1	2	3	4	5	6	7	8	9	10	11	12		
6 SONAR	+3 towed			+2 if not using towed SONAR.															

SHOW CURRENT DEPTH

SURFACE

SHALLOW

MEDIUM

THERMOCLINE

DEEP

EXTREME

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +3 TO NOISE
			PERISCOPE 2	

Mk 48 torpedo can be used for anti shipping or anti submarine

NOISE = -2



SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	25	20	15	10	5	

# USS OHIO SSBN 726 OHIO CLASS ICBM

14SSBN



System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.													
1 DECOYS	-	-	-	-	4	1	2	3	4	5	6	7	8	9	10				
2 Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5	6								
3 Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5	6								
4 TRIDENT ICBM						1	2	3	4	5	6	7	8	9	10	11	12		
5 TRIDENT ICBM						1	2	3	4	5	6	7	8	9	10	11	12		
6 SONAR	+3 towed			+2 if not using towed SONAR.															

SHOW CURRENT DEPTH

SURFACE

SHALLOW

MEDIUM

THERMOCLINE

DEEP

EXTREME

DIVE PLANES	FLOOD LEAKING OIL DEBRIS	HELM	PERISCOPE 1	ENGINEERING +4 TO NOISE
			PERISCOPE 2	

NOISE = -2




Mk 48 torpedo can be used for anti shipping or anti submarine

SURFACE	15	12	10	5	STOPPED	SUNK
SUBMERGED	25	20	15	10	5	

# USS WILL ROGERS SSBN 659

8SSBN



	System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.							
1	<b>DECOYS</b>	-	-	-	-	4	1	2	3	4	5	6	7	8
2	Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5			
3	Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5			
4	TRIDENT ICBM						1	2	3	4	5	6	7	8
5	TRIDENT ICBM						1	2	3	4	5	6	7	8
6	<b>SONAR</b>	+2 towed		+2 if not using towed SONAR.										
<b>DIVE PLANES</b>		<b>FLOOD LEAKING OIL DEBRIS</b>		<b>HELM</b>		<b>PERISCOPE 1</b>		<b>ENGINEERING +3 TO NOISE</b>						
						<b>PERISCOPE 2</b>								

SHOW CURRENT DEPTH
SURFACE
SHALLOW
MEDIUM
<b>THERMOCLINE</b>
DEEP
EXTREME

Mk 48 torpedo can be used for anti shipping or anti submarine

NOISE = -1



<b>SURFACE</b>	<b>15</b>	<b>12</b>	<b>10</b>	<b>5</b>	<b>STOPPED</b>	<b>SUNK</b>
<b>SUBMERGED</b>	<b>25</b>	<b>20</b>	<b>15</b>	<b>10</b>	<b>5</b>	

# USS LA FAYETTE SSBN 616

8SSBN




	System	AF	RG	MTF	HIT CHANCE	CM	MARK OFF AS USED.							
1	<b>DECOYS</b>	-	-	-	-	4	1	2	3	4	5	6	7	8
2	Mk 48 torpedoes	20	20	-	8	-	1	2	3	4	5			
3	Mk 48 ASW torpedoes	20	20	-	7	-	1	2	3	4	5			
4	TRIDENT ICBM						1	2	3	4	5	6	7	8
5	TRIDENT ICBM						1	2	3	4	5	6	7	8
6	<b>SONAR</b>	+2 towed		+2 if not using towed SONAR.										
<b>DIVE PLANES</b>		<b>FLOOD LEAKING OIL DEBRIS</b>		<b>HELM</b>		<b>PERISCOPE 1</b>		<b>ENGINEERING +3 TO NOISE</b>						
						<b>PERISCOPE 2</b>								

SHOW CURRENT DEPTH
SURFACE
SHALLOW
MEDIUM
<b>THERMOCLINE</b>
DEEP
EXTREME

Mk 48 torpedo can be used for anti shipping or anti submarine

NOISE = -2



<b>SURFACE</b>	<b>15</b>	<b>12</b>	<b>10</b>	<b>5</b>	<b>STOPPED</b>	<b>SUNK</b>
<b>SUBMERGED</b>	<b>25</b>	<b>20</b>	<b>15</b>	<b>10</b>	<b>5</b>	